

REFERENCES

- Aguilera JM (2003) Solid–liquid extraction. In: Tzia C, Liadakis G (eds) Extraction optimization in food engineering. Dekker, New York, pp 35–55
- Anwar, F., S. Latif, M. Ashrat and A.H. Gilani, 2007. *Moringa oleifera*: A food plant with multiple medicinal uses. *Phytother. Res.*, 21: 17-25.
- Anhwange, B.A., V.O. Ajibola and S.J. Oniye. 2004. Chemical studies of the seeds of *Moringa oleifera* (Lam) and *Detarium microcarpum* (Guill and Sperr). *J. Biol. Sci.*, 4: 711-715.
- Chemat F, Abert-Vian M, Zill-e-Huma Y-J (2009) Microwave assisted separations: green chemistry in action. In: Pearlman JT (ed) Green chemistry research trends. Nova Science Publishers, New York, pp 33–62
- Dahot, M.U. 1988. Vitamin contents of flowers and seeds of *Moringa oleifera*. *Pak. J. Biochem.*, 21: 21-24.
- de Luque Castro MD, Garcia-Ayuso LE (1998) Soxhlet extraction of solid materials: an outdated technique with a promising innovative future. *Anal Chim Acta* 369:1–10
- Eskilsson CS, Björklund E (2000) Analytical-scale microwave-assisted extraction. *J Chromatogr A* 902:227–250
- Farhat A., Ginies C., Romdhane M. and Chemat F. (2009) “Eco-friendly and cleaner process for isolation of essential oil using microwave energy: Experimental and theoretical study”, *Journal of Chromatography A*. 1216(26), pp. 5077-5085.

- Ferhat M., Meklati B., Smadja J. and Chemat F. (2006) “An improved microwave Clevenger apparatus for distillation of essential oils from orange peel”, *Journal of Chromatography A*. 1112 (1-2), pp. 121-126.
- Fahey, J.W., 2005. A review of the medical evidence for its nutritional, therapeutic and prophylactic properties. *Trees for Life Journal* 2005, 1:5
- Garcia-Ayuso LE, Luque De, Castro MD. (1999) A multivariate study of the performance of a microwave-assisted Soxhlet extractor for olive seeds. *Anal. Chim. Acta.*; 382: 309-316
- Garcia-Ayuso LE, Luque De, Castro MD. (2001) Employing focused microwaves to counteract conventional soxhlet extraction drawbacks. *Trends Anal. Chem.*; 20: 28- 34.
- Gedye R.N., F.E. Smith, K.C. Westaway, H. Ali, L. Baldisera, L. Laberge, J. Roussel, (1986) *Tetrahedron Lett* 27, pp 279.
- Hao J-Y, Han W, Huang S-D, Xue B-Y, Deng X (2002) Microwave-assisted extraction of artemisinin from *Artemisia annua* L. *Sep Purif Technol* 28(3):191–196.
- Jensen W.B (2007) The Origin of the Soxhlet Extractor. *Journal of Chemical Education*, 84(12).
- Kaufmann B, Christen P, Veuthey J-L (2001) Parameters affecting microwave-assisted extraction of withanolides. *Phytochem Anal* 12:327–331
- Lane D., S.W.D. and Jenkins, (1984) Presented at the 9th International Symposium on Polynuclear Aromatic Hydrocarbons, Columbus, OH, Abstracts, p. 437

- Lucchesi M., Chemat F. and Smajda J. (2004) “Solvent-free microwave extraction of essential oil from aromatic herbs: comparison with conventional hydrodistillation”, *Journal of Chromatography A*. Vol. 1043(2), pp. 323-327.
- Morimitsu, Y., K. Hayashi, Y. Nakagama, F. Horio, K. Uchida and T. Osawa, 2000. Antiplatelet and anticancer isothiocyanates in Japanese horseradish, wasabi. *BioFactors*., 13: 271-276.
- Pan X, Niu G, Liu H (2002) Comparison of microwave-assisted extraction and conventional extraction techniques for the extraction of tanshinones from *Salvia miltiorrhiza* Bunge. *Biochem Eng J* 12:71–77
- Pare´ J.R.J., (1992) Microwave assisted process for extraction and apparatus therefore, CA Pat. 2,055,390,
- Routray W, Orsat V (2011) Microwave-assisted extraction of flavonoids: a review. *Food Bioprocess Technol* 5(2):1–16
- Siddhuraju, P. and K. Becker. 2003. Antioxidant properties of various solvent extracts of total phenolic constituents from three different agro-climatic origins of drumstick tree (*Moringa oleifera* Lam.). *J. Agri. Food Chem.*, 15, 2144-2155
- Starmans DAJ, Nijhuis HH. Extraction of secondary metabolites from plant material: a review. *Trends Food Sci. Technol.* 1996; 7: 191-197.
- Takeuchi T., Pereira C., Maróstica M., Braga M., Leal P. and Meireles A. (2009) “Low-Pressure Solvent Extraction (Solid-Liquid Extraction, Microwave Assisted and Ultrasound Assisted) from Condimentary Plants” Chapter 4 in *Extracting Bioactive Compounds for Food Products* 1st Edition. (Edited by Angela Meireles). CRC Press, Boca Raton, FL. ISBN- 13: 978-1-4200-6237-3.
- Thostenson ET, Chou TW (1999), Microwave processing: fundamentals and applications. *Compos Part A Appl S* 30(9):1055–1071

- Trakampruk W, Chuayplod P. (2012), Biodiesel from Moringa Oleifera Oil using K- Promoted Layered Double Hydroxide Derived Mgallao Catalyst. International Journal of Energy and Power 1(2), 58-62
- Wang L, Weller CL (2006) Recent advances in extraction of nutraceuticals from plants. Trends Food Sci Technol 17:300–312
- Ying Li, Anne Sylvie Fabiano-Tixier, Maryline Abert Vian, Farid Chemat (2013) solvent-free microwave extraction of bioactive compounds provides a tool for green analytical chemistry 47 pp 1-3.